

SurveyOption Returned Fields v5

Last Modified on 08/08/2020 12:22 pm EDT |

Returned fields for the SurveyOption sub-object are explained below. Go to the [Example Returns](#) section to view return examples for each call type.

Returned Fields for the SurveyOption Object

Field	Description	Format
id	Option ID	number
title	Option title	string
value	Reporting value	string
Properties Fields	Description	Format
disabled	Indicates answer option is disabled	boolean
dependent	Question IDs targeted in logic for this option	string
show_rules	Array of show/when logic rules	array
show_rules_logic_map		
other	Indicates other special setting	boolean
otherrequired	Indicates other required special setting	boolean
na	Indicates not applicable special setting	boolean
none	Indicates none of the above special setting	boolean
all	Indicates all of the above special setting	boolean
fixed	Indicates fixed special setting	boolean
checked	Indicates checked special setting	boolean

Example Returns (.debug format)

- [GetList Return Example](#)
- [Get SurveyOption Return Example](#)
- [Create SurveyOption Return Example](#)
- [Update SurveyOption Return Example](#)
- [Delete Survey Option Return Example](#)

GetList Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [total_count] => 3
  [page] => 1
  [total_pages] => 1
  [results_per_page] => 3
  [data] => Array
    (
      [0] => Array
        (
          [id] => 10001
          [title] => Array
            (
              [English] => Yes
            )

          [value] => 1
          [properties] => Array
            (
              [explorer_color] => 40A2C1
              [disabled] =>
            )

        )

      [1] => Array
        (
          [id] => 10002
          [title] => Array
            (
              [English] => No
            )

          [value] => 0
          [properties] => Array
            (
              [explorer_color] => 94C826
              [disabled] =>
            )

        )

      [2] => Array
        (
          [id] => 10003
          [title] => Array
            (
              [English] => NA
            )

          [value] => 99
          [properties] => Array
            (
              [explorer_color] => F5A417
              [disabled] =>
            )

        )

    )

)
```

Get SurveyOption Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 10001
      [title] => Array
        (
          [English] => Yes
        )
      [value] => 1
      [properties] => Array
        (
          [explorer_color] => 40A2C1
          [disabled] =>
        )
    )
)
```

Create SurveyOption Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 10126
      [title] => Array
        (
          [English] => Yes
        )
      [value] => 1
      [properties] =>
    )
)
```

Update SurveyOption Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 10126
      [title] => Array
        (
          [English] => Yes
        )
      [value] => 2
      [properties] =>
    )
)
```

Delete SurveyOption Return Example (.debug format):

```
(  
  [result_ok] => 1  
)
```