

ContactCustomField Object

Last Modified on 10/12/2020 7:06 pm EDT |

The following API calls are currently available for the ContactCustomField object:

- GET LIST
- GET CONTACTCUSTOMFIELD
- CHANGE/UPDATE CONTACTCUSTOMFIELD
- CREATE CONTACTCUSTOMFIELD
- DELETE CONTACTCUSTOMFIELD

GET LIST - Get a list of all of your contact custom fields.

<https://api.alchemer.com/v5/contactcustomfield>

Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
page	page=3	False
resultsperpage	resultsperpage=100	False

Response Example (.json format):

```
{
  "result_ok": true,
  "data": {
    "1": {
      "id": "1",
      "name": "customer_id",
      "type": "Number"
    },
    "2": {
      "id": "2",
      "name": "subscription_type",
      "type": "Text"
    },
    "3": {
      "id": "3",
      "name": "renewal_date",
      "type": "Date/Time"
    }
  }
}
```

GET CONTACTCUSTOMFIELD - Get information about a specific contact custom field.

<https://api.alchemer.com/v5/contactcustomfield/1>

Note: Get requests will cache for 60 seconds. If you make repeated API get requests that are identical, the return will be cached and will thus return identical results.

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
page	page=3	False
resultsperpage	resultsperpage=100	False

Response Example (.json format):

```
{
  "result_ok": true,
  "data": {
    "id": "1",
    "name": "customer_id",
    "type": "Number"
  }
}
```

CREATE CONTACTCUSTOMFIELD- Create a new contact custom field.

https://api.alchemer.com/v5/contactcustomfield?_method=PUT&name=customfield&type=Text

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
name	Contact Custom Field Name (e.g. Customer ID)	True
type*	Text, Date/Time, Currency, Number, Yes/No	False

*type will default to Text if not specified

Response Example (.json format):

```
{
  "result_ok": true,
  "data": {
    "id": "6",
    "name": "plan_type",
    "type": "Text"
  }
}
```

CHANGE/UPDATE/ADD TO CONTACTCUSTOMFIELD- Update your contact custom field.

https://api.alchemer.com/v5/contactcustomfield/1?_method=POST&name=updatedname&type=Text

Parameters	Example	Required

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
name	Contact Custom Field Name (e.g. Customer ID)	True
type*	Text, Date/Time, Currency, Number, Yes/No	False

*type will default to Text if not specified

Response Example (.json format):

```
{
  "result_ok": true,
  "data": {
    "id": "6",
    "name": "updatethisfield",
    "type": "Text"
  }
}
```

DELETE CONTACTCUSTOMFIELD - Delete a contact custom field.

https://api.alchemer.com/v5/contactcustomfield/1?_method=DELETE

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.json format):

```
{
  "result_ok": true
}
```