

SurveyPage Returned Fields

Last Modified on 08/08/2020 12:22 pm EDT |

Returned fields for the SurveyPage sub-object are explained below. Go to the [Example Returns](#) section to view return examples for each call type.

Returned Fields for the SurveyPage Object

| Field | Description | Format |
|-------------|---|---------|
| id | ID of survey page | number |
| _type | API object type | string |
| title | Page title | string |
| description | Page description | string |
| questions | Array of questions. See SurveyQuestion Returned Fields for more info. | |
| Properties | Description | Format |
| Fields | | |
| hidden | Indicates if page is hidden | boolean |
| piped_from | ID of question page is piped from | string |

Example Returns (.debug format)

- [GetList Return Example](#)
- [Get SurveyPage Return Example](#)
- [Create SurveyPage Return Example](#)
- [Update SurveyPage Return Example](#)
- [Delete SurveyPage Return Example](#)

GetList Return Example (.debug format):

```

Array
(
    [result_ok] => 1
    [total_count] => 2
    [page] => 1
    [total_pages] => 1
    [results_per_page] => 2
    [data] => Array
        (
            [0] => Array
                (
                    [id] => 1
                    [_type] => SurveyPage
                    [title] => Array
                        (
                            [English] => Page One
                        )

                    [properties] => Array
                        (
                            [hidden] =>

                        )

                    [description] => Array
                        (

                        )

                    [questions] => Array

```

The remainder of the surveypage object get list return is an array of survey questions. See SurveyQuestion object for more.

GetSurveyPage Return Example (.debug format):

```

Array
(
    [result_ok] => 1
    [data] => Array
        (
            [id] => 1
            [_type] => SurveyPage
            [title] => Array
                (
                    [English] => Page One
                )

            [properties] => Array
                (
                    [hidden] =>

                )

            [description] => Array
                (

                )

            [questions] => Array

```

The remainder of the surveypage get object return is an array of survey questions. See the SurveyQuestion object for more.

Create SurveyPage Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 3
      [_type] => SurveyPage
      [title] => Array
        (
          [English] =>
        )

      [properties] => Array
        (
          [hidden] =>

        )

      [description] => Array
        (
        )

      [questions] => Array
        (
        )

    )
)
```

Update SurveyPage Return Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 19
      [_type] => SurveyPage
      [title] => Array
        (
          [English] =>
        )

      [properties] => Array
        (
          [hidden] =>
          [piped_from] => 2
        )

      [description] => Array
        (
        )

      [questions] => Array
        (
        )

    )
)
```

Delete SurveyPage Return Example (.debug format):

```
Array  
(  
  [result_ok] => 1  
)
```