

# SurveyCampaign Sub-Object

Last Modified on 12/01/2020 4:46 pm EST |

The following API calls are currently available for the SurveyCampaign object:

- GET LIST
- GET CAMPAIGN
- CREATE CAMPAIGN
- UPDATE/COPY CAMPAIGN
- DELETE CAMPAIGN

GET LIST - Get a list of all of links and campaigns for the specified survey.

```
https://api.alchemer.com/v4/survey/123456/surveycampaign
```

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
page	page=3	False
resultsperpage	resultsperpage=100	False

Response Example (.debug format):

```

Array
(
  [result_ok] => 1
  [total_count] => 8
  [page] => 1
  [total_pages] => 1
  [results_per_page] => 50
  [data] => Array
  (
    [0] => Array
    (
      [id] => 100000
      [_type] => SurveyCampaign
      [_subtype] => link
      [__subtype] => standard
      [status] => Active
      [name] => Default Link
      [uri] => {publish link}
      [SSL] => False
      [tokenvariables] =>
      [limit_responses] =>
      [close_message] =>
      [language] => Auto
      [datecreated] => 2012-04-30 13:22:35
      [datemodified] => 2012-04-30 13:22:35
    )

    [1] => Array
    (
      [id] => 100001
      [_type] => SurveyCampaign
      [_subtype] => email
      [__subtype] => standard
      [status] => Deleted
      [name] => My New Email Campaign
      [uri] => {publish link}
      [SSL] => False
      [tokenvariables] =>
      [limit_responses] =>
      [close_message] => This survey is now closed.
      [language] => Auto
      [datecreated] => 2012-05-03 15:20:41
      [datemodified] => 2012-05-03 15:21:25
    )
  )
)

```

[Back to the Top](#)

**GET CAMPAIGN** - Get information about specified link or campaign.

<https://api.alchemer.com/v4/survey/123456/surveyscampaign/100000>

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.debug format):

```

Array
(
  [result_ok] => 1
  [data] => Array
    (
      [id] => 100000
      [_type] => SurveyCampaign
      [_subtype] => link
      [__subtype] => standard
      [status] => Active
      [name] => Default Link
      [uri] => {publish link}
      [SSL] => False
      [tokenvariables] =>
      [limit_responses] =>
      [close_message] =>
      [language] => Auto
      [datecreated] => 2012-04-30 13:22:35
      [datemodified] => 2012-04-30 13:22:35
    )
)

```

[Back to the Top](#)

## CREATE CAMPAIGN - Create a new link or campaign.

When creating campaigns via either the API or the UI, a default message is created. So, while you might think your next step is to use the EmailMessage object to create a message, you don't need to!

[https://api.alchemer.com/v4/survey/123456/surveycampaign?  
\\_method=PUT&type=link&name=New Link Name](https://api.alchemer.com/v4/survey/123456/surveycampaign?_method=PUT&type=link&name=New Link Name)

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
type	link, email, html, js, blog, iframe, popup	True
name	New Link Name	True
language	auto, english, etc.	False
status	active, closed, deleted	False
slug (link only)	newlinkslug	False
subtype (link only)	standard, private, shortlink	False
tokenvariables	var%3Dvalue%26var2%3d=value	False

Protocol is not an available parameter, however, if you use the Force HTTPS linkssetting under **Account > Account Settings**, all links created via the API will be set to the secure protocol.

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
  (
    [id] => 100000
    [_type] => SurveyCampaign
    [_subtype] => link
    [__subtype] => standard
    [status] => Active
    [name] => NewLink
    [uri] => {publish link}
    [SSL] => False
    [tokenvariables] =>
    [limit_responses] =>
    [close_message] =>
    [language] =>
    [datecreated] => 2013-01-08 13:17:44
    [datemodified] => 2013-01-08 13:17:44
  )
)
```

[Back to the Top](#)

**UPDATE/COPY CAMPAIGN** - Update and/or copy a specified link or campaign.

[https://api.alchemer.com/v4/survey/123456/surveyscampaign/100000?\\_method=POST](https://api.alchemer.com/v4/survey/123456/surveyscampaign/100000?_method=POST)

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
name	UpdatedLinkName	False
language	auto, english, etc.	False
status	active, closed, deleted	False
slug (link only)	updatedlinkslug	False
subtype (link only)	standard, private, shortlink	False
privatename (link only)*	awesomesurveys.com	False
tokenvariables	var%3Dvalue%26var%3d=value	False
copy	true	False

\*v4 only

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
  [data] => Array
  (
    [id] => 100000
    [_type] => SurveyCampaign
    [_subtype] => link
    [__subtype] => standard
    [status] => Active
    [name] => UpdatedLinkName
    [uri] => {publish link}
    [SSL] => False
    [tokenvariables] =>
    [limit_responses] =>
    [close_message] =>
    [language] =>
    [datecreated] => 2013-01-08 12:40:47
    [datemodified] => 2013-01-08 13:53:35
  )
)
```

DELETE CAMPAIGN - Delete specified link or campaign.

[https://api.alchemer.com/v4/survey/123456/surveycampaign/100000?\\_method=DELETE](https://api.alchemer.com/v4/survey/123456/surveycampaign/100000?_method=DELETE)

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.debug format):

```
Array
(
  [result_ok] => 1
)
```

[Back to the Top](#)

---