


```

[smailingaddress2] =>
[smailingaddresscity] => Anycity
[smailingaddressstate] => CO
[smailingaddresscountry] => US
[smailingaddresspostal] => 12345
[stitle] =>
[surl] =>
[scustomfield1] =>
[scustomfield2] =>
[scustomfield3] =>
[scustomfield4] =>
[scustomfield5] =>
[scustomfield6] =>
[scustomfield7] =>
[scustomfield8] =>
[scustomfield9] =>
[scustomfield10] =>
[estatus] => Active
[esubscriberstatus*] => Unsent
)
.
.
.
.
[49] => Array
(
[id] => 100030864
[semailaddress] => example@email.com
[sfirstname] => First
[slastname] => Last
[sorganization] => Organization
[sdepartment] => Department
[shomephone] => 123-456-7891
[sfaxphone] =>
[sbusinessphone] =>
[smailingaddress] => 123 Main St
[smailingaddress2] =>
[smailingaddresscity] => Anycity
[smailingaddressstate] => CO
[smailingaddresscountry] => US
[smailingaddresspostal] => 12345
[stitle] =>
[surl] =>
[scustomfield1] =>
[scustomfield2] =>
[scustomfield3] =>
[scustomfield4] =>
[scustomfield5] =>
[scustomfield6] =>
[scustomfield7] =>
[scustomfield8] =>
[scustomfield9] =>
[scustomfield10] =>
[estatus] => Active
[esubscriberstatus] => Unsent
)
)
)
)

```

esubscriberstatus is a combination of status log response status and send status. It returns 1 of 5 values:

- Unsent
- Sent
- Bounced
- Partial - Link clicked and at least one page submitted
- Complete - Link clicked and response completed

[Back to the Top](#)

GET CONTACT - Get a information about a specified contact.

<https://api.alchemer.com/v4/survey/123456/surveycampaign/100000/contact/100030864>

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.debug format):

```
Array
(
    [result_ok] => 1
    [data] => Array
        (
            [id] => 100030864
            [semailaddress] => fakegizmo777+0@gmail.com
            [sfirstname] =>
            [slastname] =>
            [sorganization] =>
            [sdepartment] =>
            [shomephone] =>
            [sfaxphone] =>
            [sbusinessphone] =>
            [smailingaddress] =>
            [smailingaddress2] =>
            [smailingaddresscity] =>
            [smailingaddressstate] =>
            [smailingaddresscountry] =>
            [smailingaddresspostal] =>
            [stitle] =>
            [surl] =>
            [scustomfield1] =>
            [scustomfield2] =>
            [scustomfield3] =>
            [scustomfield4] =>
            [scustomfield5] =>
            [scustomfield6] =>
            [scustomfield7] =>
            [scustomfield8] =>
            [scustomfield9] =>
            [scustomfield10] =>
            [estatus] => Active
            [esubscriberstatus*] => Unsent
        )
)
```

***esubscriberstatus** is a combination of status log response status and send status. It returns 1 of 5 values:

- Unsent
- Sent
- Bounced
- Partial - Link clicked and at least one page submitted
- Complete - Link clicked and response completed

[Back to the Top](#)

CREATE CONTACT - Create a new contact.

```
https://api.alchemer.com/v4/survey/123456/surveycampaign/100000/contact?_method=PUT&semailaddress=newexample@email.com
```

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
semailaddress	example@email.com	True
sfirstname	Firstname	False
slastname	Lastname	False
sorganization	Organization	False
sdivision	Division	False
sdepartment	Department	False
steam	Team	False
sgroup	Group	False
srole	Role	False
shomephone	123-456-7890	False
sfaxphone	123-456-7890	False
sbusinessphone	123-456-7890	False
smailingaddress	123 Main St	False
smailingaddress2	Suite 100	False
smailingaddresscity	Anycity	False
smailingaddressstate	CO	False
smailingaddresscountry	US	False

Parameters	Example	Required
smailingaddresspostal	12345	False
stitle	Title	False
surl	www.website.com	False
scustomfield1-10*	custom field data 1-10	False
custom[ID]†	custom[15]=value	False
estatus	Active, Inactive	False
allowdupe	true	False

*These are the custom fields 1-10 that are available as part of the email campaign contact list.

†These are the custom fields that are available as part of the account email lists. Learn how to get the ID number for custom fields.

[Back to the Top](#)

UPDATE CONTACT - Update a specified contact.

[https://api.alchemer.com/v4/survey/123456/surveycampaign/100000/contact/100030864?
_method=POST](https://api.alchemer.com/v4/survey/123456/surveycampaign/100000/contact/100030864?_method=POST)

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True
semailaddress	example@email.com	False
sfirstname	Firstname	False
slastname	Lastname	False
sorganization	Organization	False
sdivision	Division	False
sdepartment	Department	False
steam	Team	False
sgroup	Group	False
srole	Role	False
shomephone	123-456-7890	False
sfaxphone	123-456-7890	False
sbusinessphone	123-456-7890	False
smailingaddress	123 Main St	False
smailingaddress2	Suite 100	False

Parameters	Example	Required
smailingaddresscity	Any city	False
smailingaddressstate	CO	False
smailingaddresscountry	US	False
smailingaddresspostal	12345	False
stitle	Title	False
surl	www.website.com	False
scustomfield1-10*	custom field data 1-10	False
custom[ID]†	custom[15]=value	False
estatus‡	Active, Inactive	False

*These are the custom fields 1-10 that are available as part of the email campaign contact list.

†These are the custom fields that are available as part of the account email lists. Learn how to get the ID number for custom fields.

‡Updating the contact status to "Inactive" will unsubscribe the contact from the email campaign.

DELETE CONTACT - Delete a specified contact.

```
https://api.alchemer.com/v4/survey/123456/surveycampaign/100000/contact/100030864?_method=DELETE
```

Parameters	Example	Required
Authentication Credentials	api_token=abcd12345&api_token_secret=abcd12345	True

Response Example (.debug format):

```
Array
(
    [result_ok] => 1
)
```

Getting Custom Field ID from Email Lists

Go to **Account > Email Lists** and click the link to **Manage Custom Fields** in the bottom left. With a web-developer tool installed on your browser right click on the desired field and click **Inspect Element**. This will give you the details for this field. What you are looking for is the **name** field. It will look like the below. The number is all you need for either a PUT or a POST.

Create New List

List Name ▲

- All questions contact list
- All Questions May 6 contact list
- API
- Bri's Email Campaign contact list
- Bri's Email Campaign contact list
- bri's survey contact list
- bri's survey contact list
- bri's survey contact list
- bri's

Custom Fields

Custom Field Name

customerid

customerpw

jan

feb

mar

Elements Network Sources Timeline Profiles Resources Audits Console

```
<header>...</header>
<section>
  <div id="options-1545">
    <!-- Options Control -->
    <script>...</script>
    <script>...</script>
    <div class="form-row form-row-grid form-row-header">...</div>
    <div class="form-row form-row-grid" data-options-row="17">
      <div class="col-md-6">
        <input class="form-control" name="field_name_17" value="customerid" type="text">
      </div>
      <div class="col-md-4 text-center">...</div>
      <div class="col-md-2 text-center">...</div>
    </div>
  </div>
  ::after
  ...

```

[Back to the Top](#)