

Add Users to a Team

Adds user to one or more teams, assigning each a role and optional team manager status.

Endpoint

PUT v5/accountuser/{user_id}/teams

Requires authentication

Path Parameters

This identifies which user will be added to a team.

user_id

string

required

The ID of the user to add to a team.

Body

The request body is an array of user-team request objects, one object per team.

team_id

string

required

The team ID of the team to add the user to.

role_id

string

required

The role ID to assign to the user.

is_team_manager

boolean

Whether the user should be set as a team manager. Defaults to `false`.

Response

The response includes an overall status plus per-team result objects in the `data` array.

result_ok

boolean

Whether the overall request succeeded.

code

integer

Status code. `200` = success, `400` = error.

message

string

A message describing the result.

data

array

An array of per-team result objects.

+▶ child attributes

Examples

REQUEST (CURL)

```
curl -X PUT "https://api.alchemer.com/v5/accountuser/1/teams?
api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET" \
-H "Content-Type: application/json" \
-d '{
  "teams": [
    {
      "team_id": "12345",
      "is_team_manager": true,
      "role_id": "4"
    }
  ]
}'
```

SUCCESS RESPONSE

```
{
  "result_ok": true,
  "code": 200,
  "message": "Added user to 1 teams.",
  "data": [
    {
      "team_id": "12345",
      "result_ok": true,
      "code": 200,
      "message": "Added user to team."
    }
  ]
}
```

ERROR RESPONSE

```
{
  "result_ok": false,
  "code": 400,
  "message": "Failed to add all users to team. See data for details.",
  "data": [
    {
      "team_id": "12345",
      "result_ok": false,
      "code": 400,
      "message": "Failed to add user to team. User id 1 not found."
    }
  ]
}
```