

# Get Contact List

Returns detailed information about a specific contact list.

## Endpoint

**GET** v5/contactlist/{list\_id}

Requires authentication

## Path Parameters

The contact list to retrieve.

### **list\_id**

*string*

*required*

The ID of the contact list to retrieve.

## Query Parameters

This endpoint does not accept additional query parameters beyond authentication credentials.

None

## Response

Returns a single contact list object.

### **result\_ok**

*boolean*

Whether the request succeeded.

### **data**

*object*

The contact list object.

- ▼ child attributes

#### **id**

*integer*

The unique ID of the contact list.

**list\_name***string*

The display name of the contact list.

**date\_modified***string*

Timestamp when the contact list was last modified.

**date\_created***string*

Timestamp when the contact list was created.

**user\_id\_created***integer*

The ID of the user who created the contact list.

**user\_id\_modified***integer | null*

The ID of the user who last modified the contact list, or `null` if unmodified since creation.

## Examples

NOTE GET requests are cached for 60 seconds. Repeated identical requests within that window will return cached results.

**REQUEST (CURL)**

```
curl -X GET "https://api.alchemer.com/v5/contactlist/YOUR_LIST_ID?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET"
```

**RESPONSE**

```
{
  "result_ok": true,
  "data": {
    "id": 100139484,
    "list_name": "My New List",
    "date_modified": "2015-08-04 17:06:59",
    "date_created": "2015-08-04 16:00:00",
    "user_id_created": 123456,
    "user_id_modified": null
  }
}
```