List Domains

Returns a list of all custom domains configured in your account.

Endpoint

> **GET** v5/domain

Requires authentication

Path Parameters

> None

Query Parameters

All query parameters are optional.

> ### page
> *integer*
>
> Page number to return. Defaults to 1.

> ### resultsperpage
> *integer*
>
> Number of results to return per page. Default is 50, maximum is 500.

Response

Returns a keyed object of domain records, where each key is the domain ID.

> ### result_ok
> *boolean*
>
> Whether the request succeeded.

> ### data
> *object*
>
> Keyed object of domain records, where each key is the domain ID.
>
> > - ▼ child attributes
> >
> > > ### id

integer

The unique ID of the domain.

customerID

string

The account (customer) ID this domain belongs to.

type

string

The domain type. Possible values: `Private` , `Subdomain` .

domain

string

The domain URL (e.g. `surveys.mycompany.com`).

redirect

string

The survey-not-found redirect URL. Empty string if not configured. Applies to Private domains only.

eStatus

string

The domain status (e.g. `Active`).

created

string

Timestamp when the domain was created.

Examples

NOTE GET requests are cached for 60 seconds. Repeated identical requests within that window will return cached results.

REQUEST (CURL)

```
curl -X GET "https://api.alchemer.com/v5/domain?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET"
```

RESPONSE

```json
{
  "result_ok": true,
  "data": {
    "YOUR_DOMAIN_ID": {
      "id": YOUR_DOMAIN_ID,
      "customerID": "YOUR_CUSTOMER_ID",
      "type": "Private",
      "domain": "surveys.mycompany.com",
      "redirect": "",
      "eStatus": "Active",
      "created": "2015-05-12 17:36:30"
    },
    "YOUR_DOMAIN_ID_2": {
      "id": YOUR_DOMAIN_ID_2,
      "customerID": "YOUR_CUSTOMER_ID",
      "type": "Private",
      "domain": "reviews.mycompany.com",
      "redirect": "",
      "eStatus": "Active",
      "created": "2017-03-21 12:08:12"
    }
  }
}
```