

Get Domain

Returns information about a specific custom domain in your account.

Endpoint

GET v5/domain/{domain_id}

Requires authentication

Path Parameters

The domain to retrieve.

domain_id

string

required

The ID of the domain to retrieve.

Query Parameters

This endpoint does not accept additional query parameters beyond authentication credentials.

None

Response

Returns a single domain record nested under its domain ID key.

result_ok

boolean

Whether the request succeeded.

data

object

A keyed object containing a single domain record, where the key is the domain ID.

- ▼ child attributes

id

integer

The unique ID of the domain.

customerID*string*

The account (customer) ID this domain belongs to.

type*string*

The domain type. Possible values: `Private` , `Subdomain` .

domain*string*

The domain URL (e.g. `surveys.mycompany.com`).

redirect*string*

The survey-not-found redirect URL. Empty string if not configured. Applies to Private domains only.

eStatus*string*

The domain status (e.g. `Active`).

created*string*

Timestamp when the domain was created.

Examples

NOTE GET requests are cached for 60 seconds. Repeated identical requests within that window will return cached results.

REQUEST (CURL)

```
curl -X GET "https://api.alchemer.com/v5/domain/YOUR_DOMAIN_ID?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "YOUR_DOMAIN_ID": {
      "id": YOUR_DOMAIN_ID,
      "customerID": "YOUR_CUSTOMER_ID",
      "type": "Private",
      "domain": "surveys.mycompany.com",
      "redirect": "",
      "eStatus": "Active",
      "created": "2015-05-12 17:36:30"
    }
  }
}
```