

Get Survey

Returns detailed information about a single survey, including its configuration, pages, and questions.

Endpoint

GET v5/survey/{survey_id}

Requires authentication

Path Parameters

The survey to retrieve.

survey_id

string

required

The ID of the survey to retrieve.

Query Parameters

This endpoint does not accept additional query parameters beyond authentication credentials.

None

Response

Returns a single survey object containing full configuration, page structure, and question details.

result_ok

boolean

Whether the request succeeded.

data

object

The survey object.

- ▼ child attributes

id

string

The unique ID of the survey.

team

array

The team or teams that own the survey.

- ▼ child attributes

id

string

The unique ID of the team.

name

string

The display name of the team.

type

string

The survey type. Example values: `Standard Survey` , `QuestionLibrary` .

status

string

The current status of the survey. Example values: `Launched` , `Closed` .

created_on

string

Timestamp when the survey was created.

modified_on

string

Timestamp when the survey was last modified.

forward_only

boolean

Whether respondents are prevented from navigating back to previous pages.

languages

array

List of languages the survey is available in. Example: `["English"]` .

title

string

The public-facing title of the survey.

internal_title

string

The internal title of the survey, used for organizational purposes within the Alchemer platform.

title_ml

object

Multilingual survey title, keyed by language name. Example: `{"English": "My Survey"}`.

theme

string

The ID of the theme applied to the survey.

blockby

string | null

The duplicate prevention method configured for the survey, if any. Returns `null` if not set.

statistics

object | null

Response count totals keyed by status. Returns `null` for survey types that do not collect responses. Only status keys with counts greater than zero are present.

- ▼ child attributes

Complete

integer

Number of completed responses.

Partial

integer

Number of partial responses.

Deleted

integer

Number of deleted responses.

Disqualified

integer

Number of disqualified responses.

overall_quota

integer | null

The overall response quota for the survey, if set. Returns `null` if no quota is configured.

auto_close

string | null

The date and time the survey is configured to automatically close, if set. Returns `null` if not configured.

links

object

Public URLs for accessing the survey.

- ▼ child attributes

default

string

The default public URL for the survey.

campaign

string

The campaign distribution URL for the survey.

pages

array

Ordered array of page objects representing the survey's page structure. Each page contains its questions.

- ▼ child attributes

id

integer

The unique ID of the page.

title

object

The page title, keyed by language. Example: `{"English": "Page 1"}`.

description

array

Description content for the page. Empty array if not set.

properties

object

Configuration properties for the page.

- ▼ child attributes

hidden

boolean

Whether the page is hidden from respondents.

questions

array

Array of question objects on this page. Empty array if the page has no questions.

- ▼ child attributes

id

integer

The unique ID of the question.

base_type

string

The base classification of the question. Example values: `Question` , `Action` , `Decorative` .

type

string

The question type. Example values: `FILE` , `HIDDEN` , `INSTRUCTIONS` .

title

object

The question title, keyed by language. Example: `{"English": "What is your name?"}` .

shortname

string

The shortname assigned to the question, used for variable referencing. Empty

string if not set.

description

array

Description content for the question. Empty array if not set.

has_showhide_deps

boolean | null

Whether the question has show/hide logic dependencies. Returns `null` if not applicable.

comment

boolean | null

Whether the question has a comment field enabled.

properties

object

Configuration properties for the question. The specific fields present vary by question type.

options

array

Answer options for the question. Empty array if the question type does not use options.

- ▼ child attributes

id

integer

The unique ID (SKU) of the option.

title

object

The option label, keyed by language.

value

string

The reporting value for the option.

properties

object | null

Additional properties for the option. Returns `null` if none are set.

show_rules_ids

array | null

IDs of the show/hide logic rules applied to this question. Returns `null` if no rules are set.

Examples

NOTE GET requests are cached for 60 seconds. Repeated identical requests within that window will return cached results.

REQUEST (CURL)

```
curl -X GET "https://api.alchemer.com/v5/survey/YOUR_SURVEY_ID?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "id": "YOUR_SURVEY_ID",
    "team": [
      {
        "id": "YOUR_TEAM_ID",
        "name": "Team 1"
      }
    ],
    "type": "Standard Survey",
    "status": "Launched",
    "created_on": "2026-03-19 15:58:55",
    "modified_on": "2026-03-19 16:00:31",
    "forward_only": false,
    "languages": [
      "English"
    ],
    "title": "Q1 Customer Feedback",
    "internal_title": "Q1 Customer Feedback",
    "title_ml": {
      "English": "Q1 Customer Feedback"
    }
  },
}
```

```

"theme": "YOUR_THEME_ID",
"blockby": null,
"statistics": {
  "Complete": 5
},
"overall_quota": null,
"auto_close": null,
"links": {
  "default": "https://survey.alchemer.com/s3/YOUR_SURVEY_ID/q1-customer-feedback",
  "campaign": "https://survey.alchemer.com/s3/YOUR_SURVEY_ID/q1-customer-feedbac
k"
},
"pages": [
  {
    "id": 1,
    "title": {
      "English": "(untitled)"
    },
    "properties": {
      "hidden": false
    },
    "description": [],
    "questions": [
      {
        "id": 2,
        "base_type": "Question",
        "type": "FILE",
        "title": {
          "English": "Please upload your file"
        },
        "shortname": "",
        "description": [],
        "has_showhide_deps": null,
        "comment": false,
        "properties": {
          "required": false,
          "hidden": false
        },
        "options": [],
        "show_rules_ids": null
      }
    ]
  },
  {
    "id": 2,
    "title": {
      "English": "Thank You!"
    },
    "properties": {
      "hidden": false
    }
  }
]

```

```
,
"description": [],
"questions": [
  {
    "id": 1,
    "base_type": "Decorative",
    "type": "INSTRUCTIONS",
    "title": {
      "English": "Thank you for taking our survey."
    },
    "shortname": null,
    "description": [],
    "has_showhide_deps": null,
    "comment": null,
    "properties": {
      "hidden": false
    },
    "options": [],
    "show_rules_ids": null
  }
]
}
]
```