

Create Survey Option

Creates a new option for the specified survey question.

Endpoint

PUT v5/survey/{survey_id}/surveypage/{page_id}/surveyquestion/{question_id}/surveyo

Requires authentication

Path Parameters

Identifies the survey, page, and question to add the option to.

survey_id

string

required

The ID of the survey containing the question.

page_id

string

required

The ID of the page the question belongs to.

question_id

string

required

The ID of the question to add the option to.

Query Parameters

title

string

required

The display text of the option.

value

string

required

The reporting value of the option.

after

string

The ID of the option this new option should follow. Use to control insertion order.

properties

object

Additional configuration properties for the option.

- ▼ child attributes

disabled

boolean

Set to `true` to disable this option and hide it from respondents.

dependent

string

Comma-separated question IDs for trigger questions this option depends on.

other

boolean

Set to `true` to add an open-text “Other” field to this option.

requireother

boolean

Set to `true` to require a response in the “Other” text field when this option is selected.

na

boolean

Set to `true` to designate this option as a “Not Applicable” choice.

none

boolean

Set to `true` to designate this option as a “None” choice.

all

boolean

Set to `true` to designate this option as a “Select All” choice.

fixed

boolean

Set to `true` to pin this option to a fixed position when randomization is enabled.

heatmap-color

string

Hex color code (without `#`) used to represent this option in heatmap reports. Example:

`ff0000` .

Response

Returns the result of the creation request and the newly created option object.

result_ok

boolean

Whether the request succeeded.

data

object

The newly created survey option object.

- ▼ child attributes

id

string

The unique ID (SKU) assigned to the newly created option.

title

string

The display text of the option.

value

string

The reporting value of the option.

properties

object

Configuration properties set on the option.

- ▼ child attributes

dependent

string

Trigger question IDs, if set.

other

boolean

Whether an open-text "Other" field is attached.

requireother

boolean

Whether the "Other" field is required.

na

boolean

Whether the option is a "Not Applicable" choice.

none*boolean*

Whether the option is a "None" choice.

all*boolean*

Whether the option is a "Select All" choice.

fixed*boolean*

Whether the option is pinned to a fixed position.

heatmap-color*string*

Hex color code for heatmap reports, if set.

Examples

REQUEST (CURL)

```
curl -X PUT "https://api.alchemer.com/v5/survey/YOUR_SURVEY_ID/surveypage/YOUR_PAGE_ID/surveyquestion/YOUR_QUESTION_ID/surveyoption?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET&title=Maybe&value=Maybe"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "id": 10016,
    "title": {
      "English": "Maybe"
    },
    "value": "Maybe",
    "properties": {
      "disabled": false,
      "other": false
    }
  }
}
```