Update Contact Custom Field

Updates a specified contact custom field. The `name` parameter is required; `type` is optional and defaults to `Text` if not provided.

Endpoint

`POST` v5/contactcustomfield/{field_id}

Requires authentication

Path Parameters

The custom field to update.

field_id

string

required

The ID of the contact custom field to update.

Query Parameters

name

string

The updated name for the custom field.

type

string

The updated data type for the custom field. Accepted values: `Text` , `Date/Time` , `Currency` , `Number` , `Yes/No` . Defaults to `Text` if not specified.

Response

Returns the updated custom field object.

result_ok

boolean

Whether the request succeeded.

data

object

The updated contact custom field object.

- ▼ child attributes

> **id**
>
> *string*
>
> The unique numeric ID of the custom field.

> **name**
>
> *string*
>
> The updated name of the custom field.

> **type**
>
> *string*
>
> The data type of the custom field.

Examples

REQUEST (CURL)

```
curl -X POST "https://api.alchemer.com/v5/contactcustomfield/YOUR_FIELD_ID?api_token
=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET&name=updated_field_
name&type=Text"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "id": "6",
    "name": "updated_field_name",
    "type": "Text"
  }
}
```