

Update Survey Campaign

Updates and/or copies a specified survey campaign or link. One or more fields may be changed in a single call.

Endpoint

POST v5/survey/{survey_id}/surveycampaign/{campaign_id}

Requires authentication

Path Parameters

Identifies the survey and campaign to update.

survey_id

string

required

The ID of the survey.

campaign_id

string

required

The ID of the campaign or link to update.

Query Parameters

All parameters are optional. Include only the fields you want to update.

name

string

The updated display name for the campaign.

language

string

The language for the campaign. Use `auto` to detect the respondent's browser language, or a specific language name such as `english`.

status

string

The campaign status. Accepted values: `active`, `closed`, `deleted`.

secure

boolean

When `true`, forces SSL on the campaign link.

slug

string

A custom URL slug for the campaign link.

subtype

string

The link subtype. Accepted values: `standard`, `private`, `shortlink`, `subdomain`.

privatename

string

The private domain for the campaign, when `subtype=private`. Example: `surveys.abcco.com`.

subdomain

string

The subdomain for the campaign, when `subtype=subdomain`.

theme

integer

The ID of a saved theme from your Theme Library. To find a theme ID, go to [Account > Libraries > Survey Themes](#) and select the theme — the ID appears in the URL.

link_open_date

string

The date and time to open the campaign link, in `Y-m-d H:i:s` format.

link_close_date

string

The date and time to close the campaign link, in `Y-m-d H:i:s` format.

tokenvariables

string

URL-encoded token variables to attach to the campaign link.

contact_list

integer

Available for `email` type campaigns only. Pass a ContactList ID to add that list to the email campaign.

copy

boolean

When set to `true`, creates a copy of the campaign rather than updating the existing one.

Response

Returns the updated campaign object.

result_ok

boolean

Whether the request succeeded.

data

object

The updated campaign object. See [List Survey Campaigns](#) for the full list of response fields.

Examples

REQUEST (CURL) — UPDATE STATUS

```
curl -X POST "https://api.alchemer.com/v5/survey/123456/surveycampaign/300867?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET&status=closed"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "id": "300867",
    "invite_id": null,
    "type": "SurveyCampaign",
    "link_type": "link",
    "subtype": "standard",
    "status": "Closed",
    "name": "New Link",
    "uri": "www.alchemer.com/s3/1234567/6e8b6551c402",
    "SSL": "True",
    "primary_theme_options": null,
    "primary_theme_content": null,
    "token_variables": null,
    "limit_responses": null,
    "close_message": null,
    "link_open_date": null,
    "link_close_date": null,
    "language": "Auto",
    "date_created": "2017-10-02 15:43:30",
    "date_modified": "2017-10-02 18:39:13"
  }
}
```