

Create Survey Contact

Creates a new contact within the specified survey campaign. Contact records are keyed by email address — one record per email address is stored per account.

Endpoint

PUT

v5/survey/{survey_id}/surveycampaign/{campaign_id}/surveycontact

Requires authentication

Path Parameters

The survey and campaign in which to create the contact.

survey_id

string

required

The ID of the survey.

campaign_id

string

required

The ID of the survey campaign.

Query Parameters

email_address

string

required

The contact's email address. Used as the unique key per account. Changes to standard contact fields for an existing email address are applied globally across all campaigns.

first_name

string

The contact's first name.

last_name

string

The contact's last name.

organization

string

The contact's organization.

division

string

The contact's division.

department

string

The contact's department.

team

string

The contact's team.

group

string

The contact's group.

role

string

The contact's role.

home_phone

string

The contact's home phone number.

fax_phone

string

The contact's fax number.

business_phone

string

The contact's business phone number.

mobilephone

string

The contact's mobile phone number. Used when creating contacts via an SMS campaign.

mailing_address

string

The contact's street address.

mailing_address2

string

The contact's secondary address line (e.g. suite number).

mailing_address_city

string

The contact's city.

mailing_address_state

string

The contact's state or region.

mailing_address_country

string

The contact's country.

mailing_address_postal

string

The contact's postal code.

title

string

The contact's job title.

url

string

A URL associated with the contact.

customfield1-10

string

Custom fields 1–10 available as part of the email campaign contact list. Pass individually as

`customfield1` , `customfield2` , etc.

custom[fieldname]

string

Custom fields from your account email lists. Pass using the field name as the key. Example: `custom[customerid]=value` . To find field names, go to **Account > Email Lists > Manage Custom Fields**.

status

string

The contact's status. Accepted values: `Active` , `Inactive` . Creating a contact with status `Inactive` will unsubscribe the contact from the campaign.

allowdupe

boolean

When set to `true` , allows a duplicate contact entry to be created for an email address that already exists in the campaign.

Response

Returns the newly created contact object, including the contact's unique respondent link.

NOTE The unique invite link associated with the contact is returned in the response of the create contact call.

result_ok

boolean

Whether the request succeeded.

data

object

The newly created contact object. See **List Survey Contacts** for the full list of fields.

Examples

REQUEST (CURL)

```
curl -X PUT "https://api.alchemer.com/v5/survey/123456/surveycampaign/100000/surveycontact?api_token=YOUR_API_TOKEN&api_token_secret=YOUR_API_TOKEN_SECRET&email_address=newexample@email.com&first_name=Jon&last_name=Doe"
```

RESPONSE

```
{
  "result_ok": true,
  "data": {
    "id": 100039753,
    "email_address": "newexample@email.com",
    "first_name": "Jon",
    "last_name": "Doe",
    "organization": "",
    "title": "",
    "invitelink": "http://s-123-i.sgizmo.com/s3/abcdefg",
    "status": "Active",
    "subscriber_status": "Unsent",
    "date_last_sent": ""
  }
}
```